AIR desks

Design by Gediminas Juška | Lithuania



FEATURES

- Easy and fast assembling / disassembling "metal to metal" construction Just one tool for assembling (DIN911 S4)
- Bolted connections (without screws)

QUALITY STANDARD

- LST EN 527-1:2011
- LST EN 527-2:2003
- LST EN 14073-2:2004



TECHNICAL INFORMATION

Desks

Desktop

• 0,98" MFC (melamine) with 0,07" ABS edging.

Legs

- Welded metal construction from 0,47" tube:
- Powder coated metal:
- Plastic feet with height levelling (+0,39").

Metal beam (under desktop)

- Metal tube 1,57" x 0,78" and 0,78" x 0.78":
- Powder coated metal, color matches the legs.

Grommet

- Semi-transparent matte plastic in grey outline;
- Ø 3,14".

Fixed cabinets

Carcass and shelves

• 0,7" MFC (melamine) with 0,03" ABS edging.

Doors

- 0,7" MFC (melamine) with 0,03" ABS edging:
- Handleless doors with aluminum profile in between for easy opening.

Fittings

- Cams with connecting bolts;
- Fast assembling hinges (do not require any tools to connect hinges and plates);
- Without soft closing.

Plastic legs

• Black plastic height levelling feet, H = 0,9" (+0,39").

Cabinet fixed on 2-desk bench

Carcass and shelves

• 0,7" MFC (melamine) with 0,01" ABS edging.

Doors

- 0,7" MFC (melamine) with 0,03" ABS edging;
- No handles.

Metal supports

- Welded metal construction from 0,47" metal tube:
- Powder coated metal.


Fittings

- Cams with connecting bolts;
- Fast assembling hinges (do not require any tools to connect hinges and plates);
- Gas spring;
- With soft closing.


GUARANTEE


• 5 years


RANGE




























Optional



Fittings for desktop connection (2 pcs.)



Power socket blocks



Cable trays



Cable ducts



Cable clips



Screens



Modesty panels



Cabinet placed on 2-desk bench