

ARCIPELAGO Wood lounge seating

Design by Baldanzi & Novelli | Italy



FEATURES

- Easy to assemble and disassemble (“metal to metal”).
- Two tools (DIN911 S5 and S4) for assembling.

TECHNICAL INFORMATION

Wooden base

- Straight and curved segments are made from 18 mm birch plywood, covered with modified and lacquered oak veneer;
- All edges are rounded: R1 mm;
- Segments joins with plastic connectors, using hexagon key SW4;
- Each straight panel has two height adjustable plastic legs (+15mm).

High back segments

- Internal metal frame molded with PU foam (100 kg/m³);
- Has zippers on the sides to connect each part;
- Connects to wooden base with plastic brackets (PA66+15GF).

Seat base

- Base under the seats (1280x600x80 mm) is made from black 18 mm MFC (melamine), with 1 mm ABS edging;
- Beam under the seat base is made from powder coated metal tube 40x40 mm;
- Upholstered part is made from powder coated metal tube 70x20 mm;
- Softened with foam VB3842;
- Upholstery joins to the tube with „Velcro“ straps;
- Seat base construction is fastened to the wooden base;
- Hard „Velcro“ pads (Ø45 mm) are glued on the base for seat cushions fixing;
- Recommended load up to 110 kg per one seat.

Seat cushions

- One seater square seat cushion (650x650x130 mm) is made from PU foam (65-70 kg/m³);
- Upholstered with fabric;
- Sewed soft "Velcro" pads (Ø45 mm) on the bottom of the cushion;
- Seat height from the floor – 450 mm;
- Seating depth – 530 mm.

Back cushions

- Base (515x375 mm) is made from black 18 mm MFC (melamine) with 2 mm ABS edging;
- Filled with cut foam VB3842 (520x380x140 mm);
- Upholstered with fabric by using staples;
- Back cushions are fastened to the wooden base.

Table

- Tabletop (1100x800 mm) is made from 18 mm birch plywood, covered with modified and lacquered oak veneer;
- All edges are rounded: R1 mm;
- Tabletop is fastened to the wooden base with 2 metal sheet (4 mm) brackets;
- Tabletop height from the floor – 720 mm.

Table leg

- Lacquered and stained natural ash solid wood leg (694x54x59 mm) with metal plate 120x120x4 mm for fastening it to the tabletop;
- Plastic feet with height levelling (+15 mm).

Monitor holder

- Monitor holder base is made from powder coated metal tube 70x20 mm, 390 mm height;
- VESA plate (120x120 mm) made of 2 mm metal sheet;
- VESA standards – 75x75 mm, 100x100 mm and recommended weight up to 10 kg;
- VESA plate can be fixed to the holder in 3 different heights;
- Bolts for flat screen assembly are not included.

Wiring

- Upper wiring cover (100x340 mm) is made from 18 mm birch plywood, covered with modified and lacquered oak veneer and is fixed to monitor holder;
- Lower wiring cover (592x340 mm) is made from 18 mm birch plywood, covered with modified and lacquered oak veneer and is fixed with 2 powder coated metal tubes 20x20 mm;
- All edges are rounded: R1;
- Gap between wooden base and lower wiring cover – 20 mm;
- Wiring cover under tabletop attaches to wooden base metal;
- Box for wires (340x169x95 mm) is made from powder coated metal (1 mm) and placed under the tabletop with possibility to mount power socket block inside of it.

Power socket (SHZ004)

- 1 AC power socket 100 – 230 V;
- Integrated USB fast charger (USB Type A+C, max 5,6A);
- 1 cable guide for multimedia cable;
- Mounting in Ø80 mm cut-out;
- Dimensions: Ø90x66 mm;
- Power socket standards: EU, FR, UK, US, CH;
- Cable length: 3,8 m.


Power socket (SHZ005)

- 1 AC power socket 100 – 230 V;
- Dimensions: 90x66 mm;
- Mounting in Ø80 mm cut-out;
- Power socket standards: EU, FR, UK, US, CH;
- Cable length: 3,8 m.

GUARANTEE

- 3 years

RANGE



Meeting

Must be ordered (for SHA405)



Power socket SHZ004

or



Power socket SHZ005